A. Dean Tranmer I.B. # 2793 City of Pocatello P. O. Box 4169 Pocatello, ID 83201 (208) 234-6149 (208) 234-6297 (Fax) dtranmer@pocatello.us

Sarah A. Klahn, I.B. #7928 Kelly L. Snodgrass White & Jankowski, LLP 511 Sixteenth Street, Suite 500 Denver, Colorado 80202 (303) 595-9441 (303) 825-5632 (Fax) sarahk@white-jankowski.com

ATTORNEYS FOR THE CITY OF POCATELLO

# DEFORE THE DEPARTMENT OF WATER RESOURCES OF THE STATE OF IDAHO

IN THE MATTER OF DISTRIBUTION OF WATER TO VARIOUS WATER RIGHTS HELD BY OR FOR THE BENEFIT OF A&B IRRIGATION DISTRICT, AMERICAN FALLS RESERVOIR DISTRICT #2, BURLEY IRRIGATION DISTRICT, MILNER IRRIGATION DISTRICT, MINIDOKA IRRIGATION DISTRICT, NORTH SIDE CANAL COMPANY, AND TWIN FALLS CANAL COMPANY

POCATELLO'S RESPONSE TO SURFACE WATER COALITION'S PETITION FOR RECONSIDERATION OF HEARING OFFICER'S ORDER AND TO RECLAMATION'S PETITION

Pursuant to the Idaho Department of Water Resources Rule of Procedure 720.c, the City of Pocatello ("Pocatello") hereby files its Response to the Surface Water Coalition's ("SWC") Petition for Partial Reconsideration of the Hearing Officer's Recommended Order ("SWC Petition" or "Petition").

# INTRODUCTION

On April 29, 2008, Hearing Officer Gerald F. Schroeder, issued his Opinion Constituting Findings of Fact, Conclusions of Law, and Recommendation (the

"Recommendations"). On May 12, 2008, the United States Bureau of Reclamation
("BOR") filed Reclamation's Petition for Reconsideration seeking clarification of five
issues. On May 13, 2008, the Surface Water Coalition filed the Surface Water Coalition's
Petition for Partial Reconsideration of Hearing Officer's Recommended Order Requesting
Partial Reconsideration seeking clarification and reconsideration of two issues. On May 13,
2008, Pocatello filed its Initial Memorandum of Exceptions Re: Opinion Constituting
Findings of Fact, Conclusions of Law and Recommendation in order to meet the deadline of
the Department's Administrative Rules. In that filing, Pocatello also reserved the right to
file a response to the Motions for Reconsideration.

### RESPONSE TO SWC'S PETITION

# I. THE HEARING OFFICER'S CHARACTERIZATION OF THE SWC WATER RIGHTS DOES NOT REQUIRE CLARIFICATION.

The SWC suggests that the Hearing Officer's characterization of the SWC water rights in the Opinion Constituting Findings of Fact, Conclusions of Law and Recommendation ("Recommendations") is deficient. The SWC suggests that the Recommendations may, in some way, interfere with determinations of the SWC's water rights in the Snake River Basin Adjudication ("SRBA"). SWC Petition at 2-3. The SWC links its water rights claims in the SRBA with the Hearing Officer's Recommendation that resolution of a delivery call should exclude non-irrigated acres. This is an erroneous construction of the Recommendation and the SWC's request for clarification is unnecessary.

As a preliminary matter, the Hearing Officer elected to follow the lead of the May 2, 2005 Order entered by the Department in this matter, and set forth basic information regarding the SWC's water rights and the claims made by SWC in the SRBA. To the

extent the Recommendations fail to identify the differences between the SWC claims in the SRBA and the IDWR recommendation clarification can easily be made by inserting the following language in the Recommendations:

At page 8, paragraph II.5.: Milner has filed certain objections to its water rights claims that are found at Exhibits 9723-9729.

At page 9, paragraph II.8.: TFCC has filed for irrigation of 202,691 acres. IDWR recommended 196,162 acres. TFCC delivers water to 202,690 shares. TFCC has filed certain objections to its claims that are found at Exhibit 9723-9729.

However, the SWC does not stop with asking for clarification of the recitations made in the Recommendations regarding its claims and objections in the SRBA. The SWC also links the Hearing Officer's finding that non-irrigated acres should not be considered in determining the irrigation supply necessary for SWC members (see section XIV.7.e. "Average Yearly Irrigation Supply") with their SRBA claims. SWC Petition at 3. The SWC's argument seems to be that if the SRBA determines, for example, that TFCC was irrigating 196,162 acres in 1987 for purposes of the adjudication, then that is the irrigated acre number to be used by the Department in administering a delivery call. In fact, as the Hearing Officer properly found, the amount of irrigated land (and, by the same token, non-irrigated land) is likely to be a dynamic value that changes each season. Recommendations at 53. The Hearing Officer relied upon certain analyses of aerial photos conducted by IGWA's experts to conclude that the amounts of irrigated land used by the Director in the May 2 Order and subsequent orders likely included non-irrigated acres. Id. ("IGWA has established that at least 6600 acres claimed by TFCC in its district are not irrigated"). The Hearing Officer properly found that "these amounts [of nonirrigated land] may, of course, change as acreage is removed from irrigation or possibly added back." *Id*.

Regardless of the amount of land that the SRBA determines to be "irrigated" for purposes of the adjudication, the Hearing Officer has recommended that the Department look at the amount of irrigated land on an annual basis and answer a delivery call based on the amount of water planted for irrigation in a given year. This practice of annual evaluation of irrigated acres is common in other basins; for example, it is the basis of a settlement between Wyoming and Nebraska in the interstate dispute involving allocation of the North Platte River. *Nebraska v. Wyoming*, 534 U.S. 40 (2001)<sup>1</sup>.

No "clarification" or other modification of the Hearing Officer's Order is necessary with regard to the findings that any delivery call should limit evaluation of the senior's demand for water only by reference to irrigated land.

- II. THE HEARING OFFICER CORRECTLY DETERMINED THAT TWIN FALLS CANAL COMPANY SHOULD BE LIMITED TO 5/8 INCH INSTEAD OF 3/4 INCH.
  - A. The Hearing Officer properly found that if a "full headgate supply" concept is used by IDWR in resolving a delivery call, that TFCC's must be assumed to be 5/8 inch.

Again, as above, the context of the Hearing Officer's determinations regarding the proper amount of the TFCC "full headgate supply" bears mention. The Hearing Officer found that any assumptions made by the Department in administering a delivery call should limit TFCC's "full headgate deliveries" to 5/8 inch rather than the ¾ inch.

Recommendations, Section XIV.7.g. and XV.4. In Section XIV, the Hearing Officer set forth his recommendations for determining "Average Yearly Irrigation Supply". Those

<sup>&</sup>lt;sup>1</sup> See also, <a href="http://www.dnr.state.ne.us/NorthPlatte/Settlement/Exhibit\_4.pdf">http://www.dnr.state.ne.us/NorthPlatte/Settlement/Exhibit\_4.pdf</a> describing the methodologies for determining actually irrigated acres in a given irrigation year.

include: a) rejecting the water budget method (see, XIV.3-5); b) rejecting the "minimum full supply" approach relied on in the May 2, 2005 Order (see, XIV.6); and c) setting forth the Hearing Officer's recommended considerations for IDWR in arriving at a different method (see, XIV.7, generally).

In recommending an alternative method to resolve delivery calls, the Hearing Officer found:

- ❖ "It is appropriate to use historical information when crops were adequately irrigated and to test that information to determine if the usage involved waste." XIV.7. at 51.
- The baseline amounts of 1995 should be adjusted based on evaluation of precipitation and temperature. XIV.7.a.
- ❖ Adjustments should be made to reflect cropping changes. XIV.7.b.
- Conversions to sprinklers, which will generally reduce the amount of water needed should be considered. XIV.7.c.
- Analysis of soil conditions and soil moisture reservoirs must be made.
  XIV.7.d.
- ❖ Non-irrigated acres should be excluded from any assumptions regarding senior water demand. XIV.7.e.
- Calculation of water budgets should be based on acres not shares.
   XIV.7.f.
- ❖ For TFCC, a delivery per acre of 5/8 inch instead of ¾ inch should be assumed. XIV.7.g.

The Hearing Officer also made findings about whether the diversion and conveyance practices of the SWC members were "reasonable". *See*, Section XV. In this context, the Hearing Officer found:

❖ That TFCC's "full headgate delivery" should be 5/8 inch instead of ¾ inch. XV.4.

While Pocatello objects to much of the substance of Sections XIV and XV (objections it will lodge by filing timely Exceptions to the Hearing Officer's Recommendations), it agrees with the finding that it is *per se* unreasonable for IDWR to assume ¾ of an inch is "full headgate delivery" for TFCC in light of the evidence received.

However, SWC suggests that these findings regarding TFCC delivery rate are either a "readjudication" of its water right, (Petition at 3), or else a requirement that it accept an "alternative duty of water depending on the water supply," (Petition at 5). Moreover, the SWC seems to suggest that to the extent delivery of ¾ inch is consistent with TFCC water rights (i.e., 3000 cfs plus other in-sundry water rights it asserts as a basis for its call) this works some injustice to TFCC. All of these assertions are inconsistent with the context of these findings in the Recommendations and, as such, are insufficient to support modifying the Recommendations.

B. Whether or not ¾ inch is the decreed amount of TFCC's water right is in dispute, but in any event the finding that IDWR should use 5/8 inch instead is not a readjudication of TFCC's rights.

Although the Supreme Court ruled early in this litigation that the decreed amount is the maximum amount to which the right holder may be entitled (*AFRD#2 v. IDWR*, 143 Idaho 862, 154 P.3d 433, 879), SWC continues to question whether IDWR may require (and whether the Hearing Officer may recommend) the delivery of amounts smaller than the decreed amount in answering a delivery call. Under *AFRD #2*, and the POCATELLO'S RESPONSE TO SURFACE WATER COALITION'S PETITION FOR RECONSIDERATION OF HEARING OFFICER'S ORDER AND TO RECLAMATION'S PETITION 6

Hearing Officer's Recommendations, seniors may be required to accept an amount smaller than the amounts on the face of their decrees based on the Department's beneficial use analysis (and consistent with the methods laid out in the Recommendations Section XIV and XV or other methods yet to be decided upon by the Director). Such reduction from the decreed amount for purposes of answering a delivery call is not a readjudication of the decrees; instead, it is the means by which Idaho law provides for "optimum use" and "reasonable use" of a scarce resource. *Id.* 

C. The Hearing Officer's Ruling that TFCC is entitled only to 5/8 inch rather than ¾ inch was based on evidence received at the hearing and SWC has not articulated a record-based reason for modification.

The Hearing Officer had ample evidence to limit TFCC's "full headgate deliveries" to 5/8 inch. Testimony by TFCC's manager demonstrated that TFCC's conveyance system "becomes taxed if [it] delivers over ¾ of a miners inch...To try to deliver more than that amount would put the canal system in jeopardy and dramatically raise both the potential for breaks and catastrophic property damage." Exhibit 4610; Alberdi Transcript, Vol III. at 1693-94, lns. 5-1. Thus, ¾ inch is a *maximum* delivery rate for TFCC shareholders and, based on the testimony, an imprudent amount to deliver absent unusual conditions. Additionally, the evidence presented demonstrated not only that the TFCC Operating Policy states that the water right is 5/8 inch², but also that the management within TFCC believed that 5/8 inch would satisfy its shareholders needs. Exhibit 4610; Alberdi Transcript Vol III. at 1696-97.

#### RESPONSE TO RECLAMATION'S PETITION FOR RECONSIDERATION

To avoid duplicative argument, Pocatello adopts the arguments of the Idaho

Groundwater Appropriators regarding Reclamation's Petition for Reconsideration, made

<sup>&</sup>lt;sup>2</sup> Alberdi Transcript, Vol III. at 1602.

in IGWA's pleading captioned, Response to the Surface Water Coalition's Petition for Partial Reconsideration and to Reclamation's Petition for Reconsideration.

# **CONCLUSION**

Pocatello respectfully requests that, with the exception of the possible modifications to the Recommendations suggested in Part I.infra, the SWC's Motion to Reconsider be denied. Pocatello also respectfully requests, based on the arguments made in IGWA's Response brief, that Reclamation's Petition for Reconsideration be denied.

Dated this 27<sup>th</sup> day of May, 2008.

CITY OF POCATELLO ATTORNEY'S OFFICE

By Savah Clu for A. DEAN TRANMER

WHITE & JANKOWSKI

SARAH KLAHN Attorneys for City of Pocatello

### CERTIFICATE OF SERVICE

I hereby certify that on this 27<sup>th</sup> day of May, 2008, I caused to be served a true and correct copy of the foregoing Pocatello's Response to Surface Water Coalition's Petition for Reconsideration of Hearing Officer's Order and to Reclamation's Petition by electronic mail and/or facsimile to:

Sarah Klahn, White & Jankowski, LLP

Gerald F. Schroeder Hearing Officer State of Idaho Dept of Water Resources 322 E Front St Boise ID 83720-0098 *** service by electronic mail and facsimile only facsimile - 208-287-6700 fcjschroeder@gmail.com	Daniel V. Steenson Ringert Clark PO Box 2773 Boise ID 83701 *** service by electronic mail only facsimile – 208-342-4591 dvs@ringertclark.com	Josephine P. Beeman, Esq. Beeman & Associates 409 W Jefferson Boise I D 83702 *** service by electronic mail only facsimile – 208-331-0954 jo.beeman@beemanlaw.com
Victoria.Wigle@idwr.idaho.gov  Dave.tuthill@idwr.idaho.gov  C. Tom Arkoosh Arkoosh Law Office 301 Main St Gooding ID 83330  *** service by electronic mail only  facsimile - 208-934-8873 tarkoosh@cableone.net alo@cableone.net	John Rosholt John Simpson Travis Thompson Barker Rosholt 113 Main Ave West Ste 303 Twin Falls ID 83301-6167 *** service by electronic mail only facsimile – 208-735-2444 jar@idahowaters.com tlt@idahowaters.com jks@idahowaters.com	Michael Gilmore Deputy Attorney General Statehouse, Room 210 PO Box 83720 Boise ID 83720-0010 *** service by electronic mail facsimile – 208-334-2830 mike.gilmore@ag.idaho.gov
W. Kent Fletcher Fletcher Law Office PO Box 248 Burley, ID 83318-0248 *** service by electronic mail only facsimile – 208-878-2548 wkf@pmt.org	Randy Budge Candice McHugh Scott J. Smith Racine Olson PO Box 1391 Pocatello ID 83204-1391 *** service by electronic mail only  rcb@racinelaw.net cmm@racinelaw.net sjs@racinelaw.net	Terry Uhling J.R. Simplot Co 999 Main St Boise ID 83702 *** service by electronic mail only tuhling@simplot.com

Roger D. Ling Attorney at Law PO Box 623 Rupert ID 83350 *** service by electronic mail only facsimile – 208-436-6804 rdl@idlawfirm.com	Kathleen Carr US Dept Interior, Office of Solicitor Pacific Northwest Region, Boise Field Office 960 Broadway Ste 400 Boise ID 83706 *** service by electronic mail only facsimile - 208-334-1918	James Tucker Idaho Power Co 1221 W Idaho St Boise ID 83702 *** service by electronic mail only jamestucker@idahopower.com
A.Dean Tranmer City of Pocatello PO Box 4169 Pocatello ID 83201 *** service by electronic mail only facsimile – 208-234-6297 dtranmer@pocatello.us	kmarioncarr@yahoo.com  Matt Howard U.S. Bureau of Reclamation 1150 N Curtis Road Boise ID 83706-1234 *** service by electronic mail only facsimile – 208-378-5003 mhoward@pn.usbr.gov	James Lochhead Mike Gheleta Brownstein Hyatt 410 – 17 <sup>th</sup> St 22 <sup>nd</sup> Floor Denver CO 80202 *** service by electronic mail only  ilochhead@bhf-law.com MGheleta@BHFS.com
Allen Merritt Cindy Yenter IDWR 1341 Fillmore St Ste 200 Twin Falls ID 83301-3033 *** service by electronic mail and facsimile only facsimile – 208-736-3037 allen.merritt@idwr.idaho.gov cindy.yenter@idwr.idaho.gov	Lyle Swank IDWR 900 N Skyline Dr Idaho Falls ID 83402-6105 *** service by electronic mail and facsimile only facsimile – 208-525-7177 lyle.swank@idwr.idaho.gov	Michael C Creamer Jeffrey C. Fereday Givens Pursley 601 W Bannock St Ste 200 PO Box 2720 Boise ID 83701-2720 *** service by electronic mail only  mcc@givenspursley.com jcf@givenspursley.com